



| Water Monitoring Data - Monthly Summary | | | | | | | | | | | |
|---|---|------------------------------|------------------------|---------------|-------------------------|-------------------------|-------------------------|-------------------------|---|---|---|
| Month and Year | February 2026 | | | | | | | | |  |  |
| Project | Sydney Metro SWM3 | | | | | | | | | | |
| EPL License No. | 21147 | | | | | | | | | | |
| EPL Weblink | https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&id=21147&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | | | | | | | | | |
| Specific EPL monitoring conditions | M2 - Requirement to monitor concentration of pollutants discharged | | | | | | | | | | |
| Monitoring Location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter e.g. TSS, pH | Unit eg. mg/L | Minimum value for month | Maximum value for month | Allowable Maximum limit | Allowable Minimum limit | Comment | | |
| SWM3 Monitoring Points | 1 | Y | NA | NA | NA | NA | NA | NA | 24hr rainfall 97.2mm + by 0900, 27/02/26, visual inspection. No discharge off site. | | |

| Noise Monitoring Data - Monthly Summary | |
|--|---|
| Month and Year | February 2026 |
| Project | Sydney Metro SMM3 |
| EPL license No. | 21147 |
| EPL Weblink | https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&id=21147&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued |
| Specific EPL monitoring conditions | M7.1 - Noise monitoring Appendix A- EPL R4.4 Validation Report |



| Vibration Monitoring Data - Monthly Summary | |
|--|---|
| Month and Year | February 2026 |
| Project | Sydney Metro SWM3 |
| EPL license No. | 21147 |
| EPL Weblink | https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&id=21147&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued |
| Specific EPL monitoring conditions | M7.2 - Vibration monitoring |
| No Vibration Monitoring in this Reporting Period. | |



Appendix A- EPL R4.4 Validation Report

EPL 21147

R4.4 Validation Report

SWM3 2026 WE32

R4.4 Sydney Metro Possession (WE32, 06-08 February 2026)

Document and Revision History

| Document Details | |
|------------------------------|-------------------------------|
| Title | R4.4 Validation Report |
| Client | Sydney Metro City & Southwest |
| JHLOR JV contract no. | J54 |

Revisions

| Revision | Date | Description | Prepared by | Reviewed by |
|----------|------------|-------------------|-------------|----------------|
| 01 | 10/02/2026 | Prepared for R4.4 | Ted Zhang | Lucas Dobrolot |
| | | | | |
| | | | | |
| | | | | |

Management reviews

| Review date | Details | Reviewed by |
|-------------|---------|-------------|
| | | |
| | | |
| | | |

Controlled: NO Copy no.: Uncontrolled: YES

Table of Contents

Introduction3

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:3

- 1. Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite3
- 2. A copy of the community notification required under Condition L5.114
- 3. Noise monitoring as required by L5.7(d).....4
 - A. Details of any exceedances of predicted noise levels;5
 - B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite.....5
 - C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.15

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.5

Attachment 1 – Community Notification.....6

Introduction

This validation report has been prepared in accordance with EPL 21147 Condition R4.4 for out-of-hour works carried out from 6th to 8th February, detailed noise activities are below:

Low Impact Works (L5.1) – 8th February 0800 to 1800 in Weekend 32 (WE32)

- Site access 0600 to 0800 Saturday & Sunday (pre-start, vehicle movement, set up, some low impact work)
- Protection Screen Door (PSD) & Mechanical Gap Filler (MGF) Testing Works
- Testing and commissioning equipment
- Track inspection
- Cable installation

Possession Works (L5.5) – 6th February 2200 to 8th February 2200 in WE32

- Equitable Canopy Structural Steel Installation
- Equitable Canopy Glazing Installation
- Corridor vegetation maintenance work
- Platform waterproofing, tiling
- Materials Handling on Station Platform
- Belmore Triangle access
- Bird Proofing
- Duke St Bridge Remediation
- OHW modifications
- Segregation Fencing Defect Rectification
- ARTC Sydenham Fright Fly Over (FFO) bridge anti throw screen installation
- ARTC Bridge Inspection
- Site Access via Belmore Ln, Tempe
- Site Access via Way St, Tempe
- Site Access via Fraser Park, Sydenham
- Site Access via Ewart St, Tempe

Occurred during possession on Sydney Metro's track (between Sydenham Station to Bankstown Station). Works were carried out under Condition L5.5 - Local Possessions

Refer to **Attachment 1** for monitoring results.

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:

1. **Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite**

The assessment prepared for the works included modelling based on Sound Power Level for the following plant and equipment:

- Equitable Canopy Installation
 - Crane Truck
 - EWP
 - Powered Hand tool
- Station Works
 - Powered hand tool
 - Generators

-
- PSD & MGF Testing and commissioning works
 - Hand tool
 - Tailing Works
 - Powered Hand tool
 - Material Handling
 - Excavator
 - Vegetation Maintenance
 - Whipper snipper
 - Track Inspection
 - High Rail UTE
 - Bird Proofing
 - EWP
 - Powered Hand tool
 - Duke St Bridge Remediation
 - Generator
 - Compressor
 - EWP
 - Powered Hand tool
 - Light Tower
 - OHW modifications
 - EWP
 - Powered Hand tool
 - ARTC FFO anti throw screen installation
 - EWP
 - Excavator
 - Powered Hand tool
 - Light Tower
 - Segregation Fencing Defect Rectification
 - Excavator
 - Powered Hand tool
 - Light Tower
 - Generator
 - Hydrema
 - Wire Saw


2. A copy of the community notification required under Condition L5.11

A copy of the community notification required under Condition L5.11 is appended as **Attachment 2**.

3. Noise monitoring as required by L5.7(d)

WE32 noise monitoring was carried out at the following locations along the project corridor.


| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKcx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|---------|---------------|--------------------|--|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|--------------------------|--------------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 76 | 70 | WE32 | 06/02/2026 to 07/02/2026 | P2 | Mon-Fri (2200-0700) | 42 | 28 | 34 | RO, AA |
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 76 | 70 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 49 | 21 | 27 | M & LB |
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 76 | 70 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 42 | 28 | 34 | RO, AA |
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 75 | 69 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 51 | 18 | 24 | M & LB |
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 76 | 70 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 49 | 21 | 27 | M & LB |
| NCA SSJ | HEX-000465 | NCA SSJ Railway St | 110 Railway Road | 6 | 16 | 31 | 76 | 70 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Hol (2200-0800) | 42 | 28 | 34 | RO, AA |




The following activity detected during the OOHW period:

- 07/02/2026 07:32 Sydney Train Construction Action
- 08/02/2026 12:00 Sydney Train Construction Action

There were no exceedances of the noise predictions in OOH due to construction activity that would require additional notification or mitigation.




| NCA | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WK | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|---------|---------------|-------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|-------|--------------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 65 | 81 | WE32 | 06/02/2026 to 07/02/2026 | P2 | Mon-Fri (2200-0700) | 40 | 41 | 25 | M & RO |
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 65 | 81 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 45 | 36 | 20 | LB |
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 65 | 81 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 40 | 41 | 25 | M & RO |
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 63 | 79 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 47 | 32 | 16 | LB |
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 65 | 81 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 45 | 36 | 20 | LB |
| NCA SSJ | HEX-000760 | NCA SSJ Club West | 133 Meeks Road | 91 | 20 | 3 | 65 | 81 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Hol (2200-0800) | 40 | 41 | 25 | M & RO |



The following activity detected during the OOHW period:

- 08/02/2026 15:47 Aircraft

There were no exceedances of the noise predictions in OOH due to construction activity that would require additional notification or mitigation.




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|---------|---------------|-------------------|--|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|--------------------------|--------------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 63 | 71 | WE32 | 06/02/2026 to 07/02/2026 | P2 | Mon-Fri (2200-0700) | 40 | 31 | 23 | M & RO |
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 63 | 71 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 41 | 30 | 22 | M & LB |
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 63 | 71 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 40 | 31 | 23 | M & RO |
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 61 | 69 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 28 | 20 | LB |
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 63 | 71 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 41 | 30 | 22 | M & LB |
| NCA SSJ | HEX-000558 | NCA SSJ Bridge St | 20 Bridge Street | 20 | 34 | 14 | 63 | 71 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Hol (2200-0800) | 40 | 31 | 23 | M & RO |




The following activity detected during the OOHW period:

- 08/02/2026 15:16 Aircraft
- 08/02/2026 16:25 Aircraft

There were no exceedances of the noise predictions in OOH due to construction activity that would require additional notification or mitigation.




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|---------|---------------|-------------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|--------------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 06/02/2026 to 07/02/2026 | P2 | Mon-Fri (2200-0700) | 40 | 30 | 20 | LB, M |
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 41 | 29 | 19 | LB |
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 40 | 30 | 20 | LB, M |
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 29 | 19 | LB |
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 41 | 29 | 19 | LB |
| NCA SSJ | HEX-000630 | NCA SSJ Belmore St ARTC | 47 Terry St | 32 | 17 | 17 | 60 | 70 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Hol (2200-0800) | 40 | 30 | 20 | LB, M |





The following activity detected during the OOHW period:

- 08/02/2026 15:05 Aircraft
- 08/02/2026 21:58 Aircraft


There were no exceedances of the noise predictions in OOH due to construction activity that would require additional notification or mitigation.




| NCA01 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | Date (Start of shift) | OOH Period 1 or 2 | Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | | |
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|-----------------------|-------------------|-----------|----------------|----------------------------------|--|-----------------|----|----|
| NCA01 | HEX-000421 | NCA01 MA Station | 15 Leofrene Avenue | 4 | 5 | 1 | 71 | 85 | WE/WKcx | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 47 | 33 | RO |



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA02 | HEX-000246 | NCA02 DH Station | 57A Ewart Street | 26 | 33 | 18 | 74 | 79 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 41 | 36 | RO |




| Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WK Cox | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|-----------|-----------------------|--------------------------|------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 66 | 74 | WE32 | 06/02/2026 to 07/02/2026 | P2 | Mon-Fri (2200-0700) | 33 | 41 | 33 | RO, AA |
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 66 | 74 | WE32 | 07/02/2026 | P1 | Sat (1800-2200) | 38 | 36 | 28 | M & LB |
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 66 | 74 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 33 | 41 | 33 | RO, AA |
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 70 | 78 | WE32 | 8/02/2026 | P1 | Sun/Pub Ho1 (0800-1800) | 38 | 40 | 32 | RO |
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 66 | 74 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 38 | 36 | 28 | M & LB |
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 66 | 74 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Ho1 (2200-0800) | 33 | 41 | 33 | RO, AA |





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA03 | HEX-000424 | NCA03 HP Station | 3A Commons Street | 10 | 15 | 5 | 81 | 91 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 53 | 43 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|


| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA04 | HEX-000296 | NCA04 CB Station | 2A Charles Street | 15 | 16 | 2 | 78 | 96 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 40 | 56 | 38 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|----------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 06/02/2026 to | P2 | Mon-Fri (2200-0700) | 35 | 41 | 38 | RO, AA |
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 45 | 31 | 28 | M & LB |
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 07/02/2026 to | P2 | Sat (2200-0800) | 35 | 41 | 38 | RO, AA |
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 8/02/2026 | P1 | Sun/Pub Ho1 (0800-1800) | 45 | 31 | 28 | M & LB |
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 45 | 31 | 28 | M & LB |
| NCA06 | HEX-001334 | NCA06 Duke St Bridge | 39 South Parade | 31 | 34 | 23 | 73 | 76 | WE32 | 08/02/2026 to | P2 | Sun/Pub Ho1 (2200-0800) | 35 | 41 | 38 | RO, AA |





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Prediction @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|--------------------------------------|---------|--------------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 55 | 62 | WE32 | 06/02/2026 to 7/02/2026 | P2 | Mon-Fri (2200-0700) | 35 | 27 | 20 | LB, M |
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 55 | 62 | WE32 | 7/02/2026 to 8/02/2026 | P1 | Sat (1800-2200) | 45 | 17 | 10 | nil |
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 55 | 62 | WE32 | 07/02/2026 to 8/02/2026 | P2 | Sat (2200-0800) | 35 | 27 | 20 | LB, M |
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 68 | 75 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 45 | 30 | 23 | M & LB |
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 55 | 62 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 45 | 17 | 10 | nil |
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 55 | 62 | WE32 | 08/02/2026 to 09/02/2026 | P2 | Sun/Pub Hol (2200-0800) | 35 | 27 | 20 | LB, M |





The following activity detected during the OOHW period:

1. Fridge Unit 5 meters away from SiteHive started working from 0700.


There were no exceedances of the noise predictions in OOH due to construction activity that would require additional notification or mitigation.



| Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|----------|-----------------------|-------------------|--------------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 06/02/2026 to | P2 | Mon-Fri (2200-0700) | 35 | 45 | 40 | RO, AA |
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 45 | 35 | 30 | M & LB |
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 07/02/2026 to | P2 | Sat (2200-0800) | 35 | 45 | 40 | RO, AA |
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 45 | 35 | 30 | M & LB |
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 45 | 35 | 30 | M & LB |
| NCA06 | HEX-000758 | NCA06 Wilfred Ave | 36-38 Campsie St | 13 | 28 | 16 | 75 | 80 | WE32 | 08/02/2026 to | P2 | Sun/Pub Hol (2200-0800) | 35 | 45 | 40 | RO, AA |





| Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|---------------|------------------|-------------------------|---------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|--------------------------|--------------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 70 | 81 | WE32 | 06/02/2026 to | P2 | Mon-Fri (2200-0700) | 35 | 46 | 35 | RO, AA |
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 70 | 81 | WE32 | 7/02/2026 | P1 | Sat (1800-2200) | 41 | 40 | 29 | M & LB |
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 70 | 81 | WE32 | 07/02/2026 to 08/02/2026 | P2 | Sat (2200-0800) | 35 | 46 | 35 | RO, AA |
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 72 | 83 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 42 | 31 | RO |
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 70 | 81 | WE32 | 8/02/2026 | P1 | Sat (1800-2200) | 41 | 40 | 29 | M & LB |
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 70 | 81 | WE32 | 08/02/2026 to | P2 | Sun/Pub Hol (2200-0800) | 35 | 46 | 35 | RO, AA |



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA07 | HEX-000531 | NCA07 Belmore Triangle | 1 Hall Street | 8 | 11 | 3 | 76 | 87 | WE32 | 8/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 46 | 35 | RO |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|



A. Details of any exceedances of predicted noise levels;

There was no exceedance due to works occurring.

B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite

The mitigation measures that were implemented included:

- Planning process reduce OOH in more sensitive periods where possible (mostly Day OOH)
- All workers briefed at prestart of OOHW taking place.
- Works occur within the hours agreed in the OOHW only.
- All plant positioned so that the exhaust (or noisiest side of the plant) is pointing away from sensitive receivers, where possible.
- The engine of any plant is to be turned off when not in use
- Workers are not to shout, slam doors, drop objects or make any other unnecessary noise
- Workers are to be mindful of residents when mobilizing and demobilizing

Additional mitigation measures in accordance with the Sydney Metro Construction Noise and Vibration Strategy were implemented which included:

- Monthly notification
- Continuous monitoring
- Respite for receivers with potential noise impact of over 20dB and alternative accommodation offered for receivers with potential noise impact of over 30dB.

C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.1.

The works carried out on WE32 (6th February 2200 to 8th February 2200) could only be safely conducted during a rail possession due to works occurring within the rail corridor/danger zone. Works were completed in accordance with EPL Condition L5.5 Local Possession (as dynamic testing is occurring during the week). Carrying out the construction activities during standard construction hours (specified in L5.1) would cause unacceptable risks to construction personnel safety; rail passenger and railways personnel safety and railway network operational reliability.

All feasible and reasonable at-source noise controls were implemented in accordance with Condition L4.1, and noise mitigation measures were implemented in accordance with JHLORJV's CNVIS and Interim Construction Noise Guideline (DECC 2009).

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.

This R4.4 Validation report has been submitted to EPA by no later than two business days after the end of the fortnight.

Attachment 1 – Community Notification

Community Notifications were provided to residents of Sydenham, Marrickville, Dulwich Hill, Hurlstone Park, Canterbury, Campsie, Belmore, Lakemba, Wiley Park, Punchbowl and Bankstown.

Community notifications for works undertaken at the previously stated locations available upon request.

EPL 21147

R4.4 Validation Report

SWM3 2026 WE33

R4.4 Sydney Metro Possession (WE33, 13-20 February 2026)

Document and Revision History

| Document Details | |
|------------------------------|-------------------------------|
| Title | R4.4 Validation Report |
| Client | Sydney Metro City & Southwest |
| JHLOR JV contract no. | J54 |

Revisions

| Revision | Date | Description | Prepared by | Reviewed by |
|----------|------------|-------------------|-------------|----------------|
| 01 | 27/02/2026 | Prepared for R4.4 | Ted Zhang | Chris McCallum |
| | | | | |
| | | | | |
| | | | | |

Management reviews

| Review date | Details | Reviewed by |
|-------------|---------|-------------|
| | | |
| | | |
| | | |

Controlled: NO Copy no.: Uncontrolled: YES

Table of Contents

Introduction3

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:3

- 1. Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite 3
- 2. A copy of the community notification required under Condition L5.114
- 3. Noise monitoring as required by L5.7(d).....4
 - A. Details of any exceedances of predicted noise levels;5
 - B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite.....5
 - C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.15

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.5

Attachment 1 – Community Notification.....6

Introduction

This validation report has been prepared in accordance with EPL 21147 Condition R4.4 for out-of-hour works carried out from 6th to 8th February, detailed noise activities are below:

Low Impact Works (L5.1) – 15th February 0800 to 1800 in Weekend 33 (WE33)

- Site access 0600 to 0800 Saturday & Sunday (pre-start, vehicle movement, set up, some low impact work)
- Protection Screen Door (PSD) & Mechanical Gap Filler (MGF) Testing Works
- Testing and commissioning equipment
- Track inspection
- Cable installation

Possession Works (L5.5) – 13th February 2200 to 15th February 2200 in WE33

- Equitable Canopy Structural Steel Installation
- Equitable Canopy Glazing Installation
- Corridor vegetation maintenance work
- Platform waterproofing, tiling
- Materials Handling on Station Platform
- Belmore Triangle access
- Bird Proofing
- OHW modifications
- Sanitary Drainage Connection
- Foord Ave rail bridge CSR screen panel installation
- GST modifications and Spark Gap installation
- Secondary bridge bonding

Occurred during possession on Sydney Metro's track (between Sydenham Station to Bankstown Station). Works were carried out under Condition L5.5 - Local Possessions

Low Impact Works (L5.1) – 16th to 18th February 2200 to 0500 in Week33 (WK33)

- Bankstown North terrace works - Kerb installation

Possession Works (L5.6) – 19th February 2000 to 20th February 0100 in WK33

- Augering and NDD for the installation of HV Pole 18W and 18WS

Occurred during Week 33. Works were carried out under Condition L5.6 - Local Area and Utility Works


Refer to **Attachment 1** for monitoring results.

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:

1. **Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite**


The assessment prepared for the works included modelling based on Sound Power Level for the following plant and equipment:

| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|--------------------------|----------------------------------|--|-----------------|--------|
| NCA01 | HEX-000421 | NCA01 MA Station | 15 Leofrene Avenue | 4 | 5 | 1 | 68 | 82 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol1 (0800-1800) | 38 | 44 | 30 | M & LB |



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|------------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA02 | HEX-000246 | NCA02 DH Station | 57A Ewart Street | 26 | 33 | 18 | 74 | 79 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 41 | 36 | RO |
|-------|------------|------------------|------------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|



| NCAx2 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKcx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|----------------|------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 69 | 77 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 39 | 31 | RO |
|-------|------------|----------------|------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA03 | HEX-000424 | NCA03 HP Station | 3A Commons Street | 10 | 15 | 5 | 88 | 98 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 60 | 50 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|-------|---------------|------------------|-------------------------|--------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|--------------------------|------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA03 | HEX-000630 | NCA03 Foord Ave | 5 Foord Ave | 3 | 19 | 17 | 77 | 78 | WE33 | 13/02/2026 to 14/02/2026 | P2 | Mon-Fri (2200-0700) | 34 | 44 | 43 | RO, AA |
| NCA03 | HEX-000630 | NCA03 Foord Ave | 5 Foord Ave | 3 | 19 | 17 | 75 | 76 | WE33 | 15/02/2026 | P1 | Sun/Pub Ho1 (0800-1800) | 38 | 38 | 37 | RO |





1. Due to equipment failure, no data sampled during OOHW period.
2. Based on noise model, additional mitigation measure offered to all impacted resident.
3. No complaint received during and after the OOHW work.
4. Same activity has been carried out in WE31 (result attached below), no exceedance during the OOHW period, noise model got validated.
5. **No Exceedance during WE33 OOHW period.**

| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM | |
|-------|---------------|------------------|-------------------------|--------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|-------------------------|----------------------------------|--|-----------------|--------|
| NCA01 | HEX-000760 | NCA01 Foord Ave | 5 Foord Avenue | 3 | 19 | 17 | 76 | 79 | WE31 | 10/02/2026 | P1 | Mon-Fri (1800-2000) | 34 | 41 | 40 | RO |
| NCA01 | HEX-000760 | NCA01 Foord Ave | 5 Foord Avenue | 3 | 19 | 17 | 76 | 79 | WE31 | 10/02/2026 | P2 | Sat. (2300-0800) | 34 | 45 | 44 | RO, AA |
| NCA01 | HEX-000760 | NCA01 Foord Ave | 5 Foord Avenue | 3 | 19 | 17 | 77 | 79 | WE31 | 11/02/2026 | P1 | Sun/Pub Ho1 (0800-1800) | 38 | 40 | 39 | RO |





| NCA04 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WK0x | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA04 | HEX-000296 | NCA04 CB Station | 2A Charles Street | 10 | 16 | 6 | 79 | 88 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 40 | 48 | 39 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|------------------|---|----|---|----|----|------|------------|----|-------------------------|----|----|----|--------|
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 73 | 80 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 45 | 35 | 28 | M & LB |
|-------|------------|------------------|------------------|---|----|---|----|----|------|------------|----|-------------------------|----|----|----|--------|




| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 69 | 80 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 39 | 28 | M & LB |
|-------|------------|------------------|---------------------|----|----|---|----|----|------|------------|----|----------------------------|----|----|----|--------|
|-------|------------|------------------|---------------------|----|----|---|----|----|------|------------|----|----------------------------|----|----|----|--------|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA07 | HEX-000531 | NCA07 Belmore Triangle | 1 Hall Street | 8 | 11 | 3 | 73 | 84 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 43 | 32 | RO |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-----------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA07 | HEX-000760 | NCA07 BE STATION | 1 Acacia Street | 31 | 46 | 15 | 59 | 69 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 28 | 18 | LB |
|-------|------------|------------------|-----------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|--|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|--|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|-------------------|----------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA08 | HEX-000758 | NCA08 LKB STATION | 15-19 Croydon Street | 43 | 46 | 9 | 65 | 79 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 47 | 32 | 18 | LB |
|-------|------------|-------------------|----------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|----------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA09 | HEX-000558 | NCA09 WP STATION | 1-3 Shadforth Street | 16 | 20 | 4 | 76 | 90 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 44 | 46 | 32 | RO |
|-------|------------|------------------|----------------------|----|----|---|----|----|------|------------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|------------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|
| NCA10 | HEX-000465 | NCA10 PB Station | 41 Urunga Parade | 56 | 76 | 20 | 61 | 73 | WE33 | 15/02/2026 | P1 | Sun/Pub Hol (0800-1800) | 47 | 26 | 14 | LB |
|-------|------------|------------------|------------------|----|----|----|----|----|------|------------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|-----------------------|-------------------------|--------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|--------------------------|-------------------|---------------------|----------------|----------------------------------|--|-----------------|
| NCA06 | HEX-001134 | NCA06 Duke St HV Pole | 13-15 Anglo Road | 25 | 7 | 25 | 84 | 73 | WE33 | 19/02/2026 | P1 | Mon-Fri (1800-2200) | 45 | 28 | 39 | RO |
| NCA06 | HEX-001134 | NCA06 Duke St HV Pole | 13-15 Anglo Road | 25 | 7 | 25 | 84 | 73 | WE33 | 19/02/2026 to 20/02/2026 | P2 | Mon-Fri (2200-0700) | 35 | 38 | 49 | RO, AA |



- Equitable Canopy Installation
 - Crane Truck
 - EWP
 - Powered Hand tool
- Station Works
 - Powered hand tool
 - Generators
- PSD & MGF Testing and commissioning works
 - Hand tool
- Tailing Works
 - Powered Hand tool
- Material Handling
 - Excavator
- Vegetation Maintenance
 - Whipper snipper
- Track Inspection
 - High Rail UTE
- Bird Proofing
 - EWP
 - Powered Hand tool
- Duke St Bridge Remediation
 - Generator
 - Compressor
 - EWP
 - Powered Hand tool
 - Light Tower
- OHW modifications
 - EWP
 - Powered Hand tool
- Sanitary Drainage Connection
 - EWP
 - Powered Hand tool
- Foord Ave rail bridge CSR screen panel installation
 - EWP
 - Crane Truck
 - Powered Hand tool
- GST modifications and Spark Gap installation
 - EWP
 - Powered Hand tool
- Secondary bridge bonding
 - EWP
 - Powered Hand tool
- Augering and NDD for the installation of HV Pole 18W and 18WS
 - NDD Truck
 - Excavator

2. A copy of the community notification required under Condition L5.11

A copy of the community notification required under Condition L5.11 is appended as **Attachment 2**.

3. Noise monitoring as required by L5.7(d)

WE33 noise monitoring was carried out at the following locations along the project corridor.

A. Details of any exceedances of predicted noise levels;

There was no exceedance due to works occurring.

B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite

The mitigation measures that were implemented included:

- Planning process reduce OOH in more sensitive periods where possible (mostly Day OOH)
- All workers briefed at prestart of OOHW taking place.
- Works occur within the hours agreed in the OOHW only.
- All plant positioned so that the exhaust (or noisiest side of the plant) is pointing away from sensitive receivers, where possible.
- The engine of any plant is to be turned off when not in use
- Workers are not to shout, slam doors, drop objects or make any other unnecessary noise
- Workers are to be mindful of residents when mobilizing and demobilizing

Additional mitigation measures in accordance with the Sydney Metro Construction Noise and Vibration Strategy were implemented which included:

- Monthly notification
- Continuous monitoring
- Respite for receivers with potential noise impact of over 20dB and alternative accommodation offered for receivers with potential noise impact of over 30dB.

C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.1.

The works carried out on WE33 (13th February 2200 to 15th February 2200) could only be safely conducted during a rail possession due to works occurring within the rail corridor/danger zone. Works were completed in accordance with EPL Condition L5.5 Local Possession (as dynamic testing is occurring during the week). Carrying out the construction activities during standard construction hours (specified in L5.1) would cause unacceptable risks to construction personnel safety; rail passenger and railways personnel safety and railway network operational reliability.

HV pole works Carried out during WK33 (19th February 2000 to 20th February 0100) could only be safely conducted during OOH. Works were completed in accordance with EPL Condition L5.6 Local Area and Utility Works. The relevant utility service operator (Ausgrid) has advised the licensee in writing that carrying out the works and activities during the hours specified in Condition L5.1 would result in a high risk to the operation and integrity of the utility network.

All feasible and reasonable at-source noise controls were implemented in accordance with Condition L4.1, and noise mitigation measures were implemented in accordance with JHLORJV's CNVIS and Interim Construction Noise Guideline (DECC 2009).

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.

This R4.4 Validation report has been submitted to EPA by no later than two business days after the end of the fortnight.

Attachment 1 – Community Notification

Community Notifications were provided to residents of Sydenham, Marrickville, Dulwich Hill, Hurlstone Park, Canterbury, Campsie, Belmore, Lakemba, Wiley Park, Punchbowl and Bankstown.

Community notifications for works undertaken at the previously stated locations available upon request.

EPL 21147

R4.4 Validation Report

SWM3 2026 WE35

R4.4 Sydney Metro Possession (WE35, 27 February to 4 March 2026)

Document and Revision History

| Document Details | |
|------------------------------|-------------------------------|
| Title | R4.4 Validation Report |
| Client | Sydney Metro City & Southwest |
| JHLOR JV contract no. | J54 |

Revisions

| Revision | Date | Description | Prepared by | Reviewed by |
|----------|------------|-------------------|-------------|----------------|
| 01 | 04/03/2026 | Prepared for R4.4 | Ted Zhang | Lucas Dobrolot |
| | | | | |
| | | | | |
| | | | | |

Management reviews

| Review date | Details | Reviewed by |
|-------------|---------|-------------|
| | | |
| | | |
| | | |

Controlled: NO Copy no.: Uncontrolled: YES

Table of Contents

Introduction3

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:3

 1. Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite 3

 2. A copy of the community notification required under Condition L5.114

 3. Noise monitoring as required by L5.7(d).....4

 A. Details of any exceedances of predicted noise levels;5

 B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite.....5

 C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.1.....5

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.6

Attachment 1 – Community Notification.....7

Introduction

This validation report has been prepared in accordance with EPL 21147 Condition R4.4 for out-of-hour works carried out from 27 February to 6 March, detailed noise activities are below:

Low Impact Works (L5.1) – 1st March 0800 to 1800 in Weekend 35 (WE35)

- Site access 0600 to 0800 Saturday & Sunday (pre-start, vehicle movement, set up, some low impact work)
- Protection Screen Door (PSD) & Mechanical Gap Filler (MGF) Testing Works
- Testing and commissioning equipment
- Track inspection
- Cable installation

Possession Works (L5.5) – 28th February 0800 to 1st March 1800 in WE35

- Equitable Canopy Structural Steel Installation
- Equitable Canopy Glazing Installation
- Corridor vegetation maintenance work
- Platform waterproofing, tiling
- Materials Handling on Station Platform
- Belmore Triangle, Loftus High-rail Pad, Ewart High-rail Pad and Urunga High-rail Pad access
- OHW Maintenance
- Track Maintenance
- Wairoa St GST Maintenance
- Wairoa St and Foord Ave pile Strengthening

Occurred during possession on Sydney Metro's track (between Sydenham Station to Bankstown Station). Works were carried out under Condition L5.5 - Local Possessions

Local Area and Utility Works (L5.6) – in WE & WK35

- Hurlstone Park Foord Ave Over Head Protection Beam Installation, 27th Feb 2200 to 28th Feb 0800
- Campsie Duke St HV Pole Installation, 28th Feb 1800 to 1st Mar 0800
- Bankstown South Terrace Asphaltting and Water Barrier Removal 2nd Mar 2000 to 3rd Mar 0700 & 3rd Mar 2000 to 4th Mar 0700

Occurred during WK & WE 35. Works were carried out under Condition L5.6 - Local Area and Utility Works

Refer to **Attachment 1** for monitoring results.

R4.4(a) For activities permitted under Condition L5.5 & L5.6, a validation report must be submitted to the EPA that includes the following detail:

1. **Confirmation that the equipment used to undertake the works was as specified in the relevant Construction Noise and Vibration Impact Assessment (CNVIA) for the worksite**

The assessment prepared for the works included modelling based on Sound Power Level for the following plant and equipment:

- Equitable Canopy Installation
 - Crane Truck
 - EWP
 - Powered Hand tool
- Station Works
 - Powered hand tool
 - Generators
- PSD & MGF Testing and commissioning works
 - Hand tool
- Tailing Works
 - Powered Hand tool
- Material Handling
 - Excavator
- Vegetation Maintenance
 - Whipper snipper
- Track Inspection
 - High Rail UTE
- Bird Proofing
 - EWP
 - Powered Hand tool
- OHW modifications
 - EWP
 - Powered Hand tool
- Wairoa St GST Maintenance
 - EWP
 - Powered Hand tool
- Wairoa St and Foord Ave pile Strengthening
 - EWP
 - Powered Hand tool
 - Crane Truck
- Hurlstone Park Foord Ave Over Head Protection Beam Installation
 - EWP
 - Powered Hand tool
 - Crane Truck
- Campsie Duke St HV Pole Installation
 - Excavator
 - Concrete Truck
 - Sennebogen
- Bankstown South Terrace Asphaltting and Water Barrier Removal
 - Asphalt Truck
 - Flatbed Compactor
 - Skid-Steer Loaders


2. A copy of the community notification required under Condition L5.11

A copy of the community notification required under Condition L5.11 is appended as **Attachment 2**.

3. Noise monitoring as required by L5.7(d)


WE35 noise monitoring was carried out at the following locations along the project corridor.

| NCA01 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA01 | HEX-000421 | NCA01 MA Station | 15 Leofrene Avenue | 4 | 5 | 1 | 71 | 85 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 47 | 33 | R0 |




| NCA02 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WK0x | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|------------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA02 | HEX-000246 | NCA02 DH Station | 57A Ewart Street | 26 | 33 | 18 | 70 | 75 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 37 | 32 | RO |
|-------|------------|------------------|------------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|----|----|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SR (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKcx | Date (Start of shift) | Period 1 or 2 | OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|---------------|------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|---------------|------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|----------------|------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA02 | HEX-000631 | NCA02 Ewart St | 112 Ewart Street | 31 | 20 | 8 | 69 | 77 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 39 | 31 | RO |
|-------|------------|----------------|------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKox | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA03 | HEX-000424 | NCA03 HP Station | 3A Commons Street | 10 | 15 | 5 | 72 | 82 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 44 | 34 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|--------------------------|-------------------|-------------------------|----------------|----------------------------------|--|-----------------|
| NCA03 | HEX-000665 | NCA03 Foord Ave | 5 Foord Ave | 3 | 46 | 42 | 67 | 68 | WE35 | 27/02/2026 to 28/02/2026 | P2 | Mon-Fri (2200-0700) | 34 | 34 | 33 | RO, AA |
| NCA03 | HEX-000665 | NCA03 Foord Ave | 5 Foord Ave | 3 | 18 | 16 | 74 | 75 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 38 | 37 | 36 | RO |




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SR (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | Period 1 or 2 | Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|---------------|--------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|---------------|--------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA04 | HEX-000296 | NCA04 CB Station | 2A Charles Street | 10 | 16 | 6 | 74 | 83 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 40 | 43 | 34 | RO |
|-------|------------|------------------|-------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|-----------------|------------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|----|--------|
| NCA05 | HEX-000758 | NCA05 Wairoa St | 1-2 South Parade | 25 | 50 | 40 | 66 | 68 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 36 | 32 | 30 | M & LB |
|-------|------------|-----------------|------------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|----|--------|





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKcc | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|-----------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|--------------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
| NCA06 | HEX-001134 | NCA06 Duke St HV Pole | 13 Duke St | 20 | 7 | 20 | 82 | 73 | WE35 | 28/02/2026 | P1 | Sat (1800-2200) | 45 | 28 | 37 | RO |
| NCA06 | HEX-001134 | NCA06 Duke St HV Pole | 13 Duke St | 20 | 7 | 20 | 82 | 73 | WE35 | 28/02/2026 to 01/03/2026 | P2 | Sat (2200-0800) | 35 | 38 | 47 | RO, AA |





| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|------------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|--------|
| NCA06 | HEX-000743 | NCA06 CP Station | 13-15 Anglo Road | 9 | 20 | 9 | 75 | 82 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 45 | 37 | 30 | M & LB |
|-------|------------|------------------|------------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|--------|



| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|---------------------------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|---------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA07 | HEX-001317 | NCA07 Loftus Pad | 25-29 Loftus Street | 46 | 11 | 3 | 72 | 83 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 42 | 31 | RO |
|-------|------------|------------------|---------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|




| NCA07 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WK0x | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|
| NCA07 | HEX-000531 | NCA07 Belmore Triangle | 1 Hall Street | 8 | 11 | 3 | 73 | 84 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 43 | 32 | RO |
|-------|------------|------------------------|---------------|---|----|---|----|----|------|-----------|----|-------------------------|----|----|----|----|



| NCA07 | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | Date (Start of shift) | Period 1 or 2 | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|-----------------------|---------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------------|--------------------------------|-------------------------------------|-----------------------|---------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|-----------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|---|-----|
| NCA07 | HEX-000760 | NCA07 BE STATION | 1 Acacia Street | 31 | 46 | 15 | 49 | 59 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 41 | 18 | 8 | nil |
|-------|------------|------------------|-----------------|----|----|----|----|----|------|-----------|----|-------------------------|----|----|---|-----|




| NCAxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | Source to SR (m) | Source to SR (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxx | Date (Start of shift) | OOH Period 1 or 2 | Precise Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|-------|---------------|------------------|-------------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|----------------|----------------|----------------------------------|--|-----------------|
|-------|---------------|------------------|-------------------------|------------------|------------------|--------------------------------|-------------------------------------|---------|-----------------------|-------------------|----------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|------------------|----------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|--------|
| NCA09 | HEX-000558 | NCA09 WP STATION | 1-3 Shadforth Street | 16 | 20 | 4 | 73 | 87 | WE35 | 1/03/2026 | P1 | Sun/Pub Hol (0800-1800) | 44 | 43 | 29 | M & LB |
|-------|------------|------------------|----------------------|----|----|---|----|----|------|-----------|----|-------------------------|----|----|----|--------|



| NCAxxx | Device Serial | Monitoring Point | Sensitive Receiver (SR) | SR to SiteHive (m) | Source to SR (m) | Source to SiteHive (m) | Prediction @ SR (dB LAeq15min) | Predicted @ SiteHive (dB LAeq15min) | WE/WKxxx | Date (Start of shift) | OOH Period 1 or 2 | Precise OOH Period | Applicable RBL | Prediction above RBL at SiteHive | Prediction above RBL at Sensitive Receiver | Recommended AMM |
|--------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|----------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|
|--------|---------------|------------------|-------------------------|--------------------|------------------|------------------------|--------------------------------|-------------------------------------|----------|-----------------------|-------------------|--------------------|----------------|----------------------------------|--|-----------------|

| | | | | | | | | | | | | | | | | |
|-------|------------|-------------------------------------|----------------|----|----|----|----|----|------|-------------------------|----|---------------------|----|----|----|-------|
| NCA12 | HEX-000618 | NCA12 Bankstown Plaza North Terrace | 2 West Terrace | 39 | 48 | 36 | 69 | 71 | WE35 | 02/03/2026 & 03/03/2026 | P1 | Mon-Fri (1800-2200) | 54 | 17 | 15 | LB |
| NCA12 | HEX-000618 | NCA12 Bankstown Plaza North Terrace | 2 West Terrace | 39 | 48 | 36 | 62 | 64 | WE35 | 02/03/2026 & 03/03/2026 | P2 | Mon-Fri (2200-0700) | 42 | 22 | 20 | LB, M |



A. Details of any exceedances of predicted noise levels;

There was no exceedance due to works occurring.

B. Details of the noise and vibration mitigation measures that were implemented as specified in the relevant Construction Noise and Vibration Impact Assessment for the worksite

The mitigation measures that were implemented included:

- Planning process reduce OOH in more sensitive periods where possible (mostly Day OOH)
- All workers briefed at prestart of OOHW taking place.
- Works occur within the hours agreed in the OOHW only.
- All plant positioned so that the exhaust (or noisiest side of the plant) is pointing away from sensitive receivers, where possible.
- The engine of any plant is to be turned off when not in use
- Workers are not to shout, slam doors, drop objects or make any other unnecessary noise
- Workers are to be mindful of residents when mobilizing and demobilizing

Additional mitigation measures in accordance with the Sydney Metro Construction Noise and Vibration Strategy were implemented which included:

- Monthly notification
- Continuous monitoring
- Respite for receivers with potential noise impact of over 20dB and alternative accommodation offered for receivers with potential noise impact of over 30dB.

C. The justification required under L5.5 & L5.6 for the carrying out of works outside of standard construction hours in L5.1.

The works carried out on WE35 (28th February 0800 to 1st March 1800) could only be safely conducted during a rail possession due to works occurring within the rail corridor/danger zone. Works were completed in accordance with EPL Condition L5.5 Local Possession (as dynamic testing is occurring during the week). Carrying out the construction activities during standard construction hours (specified in L5.1) would cause unacceptable risks to construction personnel safety; rail passenger and railways personnel safety and railway network operational reliability.

Hurlstone Park Foord Ave Over Head Protection Beam Installation carried out during WK35 (27th Feb 2200 to 28th Feb 0800) could only be safely conducted during OOH. Works were completed in accordance with EPL Condition L5.6 Local Area and Utility Works. the TfNSW Transport Management Centre (or other road authority) have advised the licensee in writing that a road occupancy licence is required and will not be issued for the works or activities during the hours specified in Condition L5.1.

Campsie Duke St HV Pole Installation carried out during WK35 (28th Feb 1800 to 1st Mar 0800) could only be safely conducted during OOH. Works were completed in accordance with EPL Condition L5.6 Local Area and Utility Works. The relevant utility service operator (Ausgrid) has advised the licensee in writing that carrying out the works and activities during the hours specified in Condition L5.1 would result in a high risk to the operation and integrity of the utility network.

Bankstown South Terrace Asphaltting and Water Barrier Removal carried out during WK35 (2nd Mar 2000 to 3rd Mar 0700 & 3rd Mar 2000 to 4th Mar 0700) could only be safely conducted during OOH. Works were completed in accordance with EPL Condition L5.6 Local Area and Utility Works. The relevant road network operator has advised the licensee in writing that carrying out

the works and activities during the hours specified in Condition L5.1 would result in a high risk to road network operational performance

All feasible and reasonable at-source noise controls were implemented in accordance with condition L4.1, and noise mitigation measures were implemented in accordance with JHLORJV's CNVIS and Interim Construction Noise Guideline (DECC 2009).

R4.4 (b) The validation report must be submitted to the EPA fortnightly from the commencement of the works permitted by L5.5 & L5.6 by no later than 2 business days from the end of each fortnight.

This R4.4 Validation report has been submitted to EPA by no later than two business days after the end of the fortnight.

Attachment 1 – Community Notification

Community Notifications were provided to residents of Sydenham, Marrickville, Dulwich Hill, Hurlstone Park, Canterbury, Campsie, Belmore, Lakemba, Wiley Park, Punchbowl and Bankstown.

Community notifications for works undertaken at the previously stated locations available upon request.